

MANU EXPEDITIONS **BIRDING TOURS**

Birding@ManuExpeditions.com
www.Birding-In-Peru.com

**TRIP REPORT FOR A BIRDING TRIP
TO THE MANU BIOSPHERE RESERVE**

July 27th – August 14th 2009

Trip Leader: Fabrice Schmitt

**With: Hala Araj, Denise Donelle, Anita Eriksson, John Giunta
and Betsy McCully (Manu Wildlife Center only), Joanna and
John Parker (Manu Wildlife Center only).**



Band-tailed Manakin in the MWC garden !! Picture: F. Schmitt

DAY BY DAY ACTIVITIES

July 26th: Arrive in Lima.

July 27th: Flight to Cusco, Huacarpay lake, Sacsayhuaman. Night in Cusco.

Anita and Fabrice arrived at the Cusco airport at 7a.m. where they had breakfast, and met Denise (arriving at 8h30 by plane from Juliaca) and Hala (arrived in Cusco few days earlier).

We drove directly to the Huacarpay lake and his surroundings, where we had stunning views on the star of this area, the Bearded Mountaineer!!

Other good birds seen well here were Streak-fronted Thornbird, Rusty-fronted Canastero, Plumbeous Rail (6 seen at the same time), the beautiful Puna Teal, and the elegant Cinereous Harrier.

During our lunch, near the pre-inca ruins found on the shore of the lake, we even had a Giant Hummingbird feeding on the nearby bushes.

In the afternoon, we did a short but productive stop near the Sacsayhuaman ruins, where we had 3 Chestnut-breasted Mountain-finch, a Yellow-billed Tit-tyrant, and a beautiful male of Black-tailed Trainbearer.

Night in Cusco.

July 28th: Cusco to Wayquecha Biological Station

As we need 6 hours driving to reach the Wayquecha Biological Station from Cusco, we had an early breakfast at 5 a.m., and began the driving at 5h30.

We did several selected stop on the way, to find some interesting highland species like Streak-throated Canastero, Rufous-webbed Bush-tyrant or the pretty Bright-rumped Yellow-finch. We had lunch soon after Paucartambo, where we saw the Peruvian endemic Creamy-crested Spinetail, and a White-capped Dipper.

We also spent some time at the Acjanaco pass where we found some specialities of the upper limit of the Elfin forest like White-browed Conebill, Tawny-rumped Tyrannulet, Brown-backed Chat-tyrant and an amazing view of a Rufous Antpitta!!

Night at Wayquecha Biological Station.

July 29th: the upper part of the Manu road.

We spent all the day around the Wayquecha Biological Station.

During the morning we birded the road between Wayquecha and Acjanaco, where we found some nice highland specialities like the Puna Thistletail, and the colorful Hooded and Scarlet-bellied Mountain-tanagers.

In the afternoon, we drove down to the tunnel area, where we enjoyed our first mixed-species flocks with Golden-collared Tanager, White-throated and White-banded Tyrannulet, Superciliated Hemispingus, Marcapata Spinetail (Peruvian endemic), Capped Conebill and an excellent scope view on a Yungas Pygmy-owl!

During our night birding, we had a perfect view on Swallow-tailed Nightjar, but only heard the White-throated Screech-owl.

Night at Wayquecha Biological Station.

July 30th: Wayquecha to Cock-of-the-rock lodge.

After some birding before breakfast near the tunnel, we drove to the Cock-of-the-rock Lodge where we will spend the 4 following nights.

We did several birding stop on the way, and we spent 4 hours birding the upper part of the road, around Pillahuata.

We had some colorful birds that day, including 3 Masked Trogon, 3 Golden-headed Quetzal, 1 Crested Quetzal and 1 Highland Motmot!

Night in COR lodge.

July 31st to August 2nd: surroundings of Cock-of-the-rock lodge.

We spent 3 full days birding around COR Lodge.

The first day we visited the Cock-of-the-rock lek close to the lodge and enjoyed the nice spectacle given by almost 10 males and 2 females. We also found an amazing flock in the garden of the lodge, including more than 10 species of tanagers and the beautiful Golden-collared Honeycreeper. At dusk, 2 Lyre-tailed Nightjar and 2 Rufescent Screech-owl gave us a fantastic show!

The second day, we birded the road above the lodge, finding different species at every stop. But the main surprise and one of the best sightings of the trip was definitely the finding of a singing White-throated Antpitta, seen at only 3 meters from us and singing during at least 10 minutes !!! The same day, we also found a beautiful Crimson-mantled Woodpecker, a Striated Treehunter, few Inca Flycatcher (Peruvian endemic), and the lovely Handsome Flycatcher. At dusk, we found 2 Andean Potoo, one of them singing on the top of a snag, in the open and at eye level !

The third day, we prospected the lower part of the road, doing some stop at the Quitacalzones bridge, and in the bamboo patches along the road. We had nice views on the Cinnamon-faced Tyrannulet, Russet Antshrike, Yellow-crested Tanager, and even on a singing Foothill Antwren. But the bird of the day is probably this Lanceolated Monklet we found at Quitacalzones.

Nights in COR lodge

August 3rd: Cock-of-the-rock to Amazonia lodge

We had pouring rain all the night and morning. After a delayed departure (for the rain), we finally left COR lodge at 7 a.m.

Fortunately the rain stop around 9 a.m. and we rapidly found one of the target of the day, the lovely Black-backed Tody-flycatcher.

On the way down to Atalaya, we saw new species at every stop: Barred Antshrike, Blackish Antbird, Sulphury Flycatcher, Swallow-wing Puffbird, Neotropical Palm-swift, Dark-breasted Spinetail, Speckled Chachalaca, etc...

Around our lunch table near Pilcopata, we found a Plum-throated Cotinga, Southern Caracara, a splendid Blue-crowned Trogon, and the localised Fine-barred Piculet.

Just before to reach Atalaya, we stoped for almost one hour at the view point on the Alto Madre de Dios river, and saw 2 Bat Flacons, a White-throated Toucan, a Blue-throated Piping-guan and even the rare Amazonian (Olive) Oropendola spotted by Denise !!

In Atalaya, we said good-bye to our driver Mario, and get on our boat for a 10 minute ride to the entrance of Amazonia lodge where we spent the end of the afternoon.

Night in Amazonia lodge.

August 4rd and 5th: Amazonia lodge

Two full days exploring the trail system around Amazonia lodge.

One of the main attraction of Amazonia lodge, is the stunning Rufous-crested Coquette and we saw every days a male and a female feeding on the Verveine flowers near the lodge. But this is just one of the numerous hummers we found here: White-necked Jacobin, Golden-tailed Sapphire, Blue-tailed Emerald, Sapphire-spangled Emerald, White-beared and Koepcke's Hermit, etc...

The other good birds found around Amazonia lodge where Amazonian and Thrush-like Antpitta, Black-faced Antthrush, Red-billed Scythebill, Sooty Antbird, Round-tailed Manakin, and Spot-backed Antbird.

During our night walks, we also found a Common Potoo, few Pauraques, a Black-banded Owl and a excellent view on a Tawny-bellied Screech-owl seen at only one meter and at eye level !!!

August 6th: Amazonia lodge to Manu Wildlife Center

After an early breakfast and some birding on the bamboo trail given us the pretty Lemon-throated Barbet and a singing Euler's Flycatcher, we began our "cruise" on the Alto Madre de Dios river. We had a long way to go as we needed almost 5 hours to reach Boca Manu, but all the new species found on the way made the trip shorter: Capped Heron, Pied Plover, Large-billed and Yellow-billed Tern, White-banded Swallow, Greater Yellow-headed Vulture, etc...

After a break in Boca Manu for a fresh drink, we followed our way to Manu Wildlife Center where we arrived at 4 p.m.

At MWC, we met Joanna, John, Betsy and Jo who are joining the trip for the last week, but also Vanessa, a Tapir visiting sometime the lodge garden in search of an apple or other fruit.

Night in MWC.

August 7th to 12th: Manu Wildlife Center

6 full days in the wonderful lodge of Manu Wildlife Center !!!!

The lodge itself is already wonderful: private cabins with hot water 24h/day, and a wonderful central building where an always excellent food is prepared !

But the best here is definitely the trail !!! Covering different habitats through floodplain, *Varzea* and *Terra firme* forest, we can spend weeks here and always find new species! Around the lodge, we also visited the Blanquillo Macaw clay-lik where numerous Red-and-green Macaw, Blue-headed Parrot, Mealy Amazon and others species of *Psittacidae* visit the clay every day.

We visited the Cocha Blanco oxbow lake, where we heard and saw the impressive Horned Screamer, and other wetland species.

And the morning at the canopy platform near Cocha Camungo (another oxbow lake) was just fabulous, with Spangled Cotinga, White-bellied Parrot, Sclater's Antwren seen very well from the platform.

Last but not least, we also spent some time in bamboo, birding especially the Antthrush trail and the Cocha Nueva trail, where we found Rufous-fronted Antthrush, Rufous-breasted Piculet, Rufous-headed Woodpecker, Goeldi's Antbird, Striated Antbird, and so many more....

August 13th: from MWC to Puerto Maldonado

A long day travelling, as we need first 8 hours on the river to reach Laberinto, and then 1h by bus to reach our final destination, Puerto Maldonado, at the confluence of the Tambopata river with the Madre de Dios river.

The birding is slow during this day, and we were all amazed by the damage caused by gold-mining activity along the Madre de Dios river.

Night in Puerto Maldonado.

August 14th: flight to Cusco or Lima.

After an early breakfast, we did some birding around Puerto Maldonado, in open and degraded habitat.

The best bird of the day was definitely the Point-tailed Palmcreeper, a Moriche palm specialist that we saw very well at our usual place.

Others species added to the list that day were: Johannes's Tody-tyrant, Rusty-fronted Tody-flycatcher, Straight-billed Woodcreeper and the very common Saffron Finch.

BIRDLIST

Conservation Status follows Birdlife International (2009)

<http://www.birdlife.org/index.html>

Taxonomy follows mostly South American Classification Committee (June 2009)

<http://www.museum.lsu.edu/~Remsen/SACCBaseline.html>

(H) heard only

RR = Restricted-range species (total range < 50,000 km²)

Family: TINAMIDAE (TINAMOUS)

(H) GREAT TINAMOU *Tinamus major*
Heard in the lowlands

CINEREOUS TINAMOU *Crypturellus cinereus*
Heard daily at Amazonia lodge where 1 was seen crossing a trail.

(H) LITTLE TINAMOU *Crypturellus soui*
Heard from the mirador before Atalaya

(H) BROWN TINAMOU *Crypturellus obsoletus*
Heard daily around COR lodge.

UNDULATED TINAMOU *Crypturellus undulatus*
Heard daily in the lowlands. We had an excellent scope view of this species at Amazonia lodge, and few more crossing trails at Amazonia or MWC lodges.

(H) BLACK-CAPPED TINAMOU *Crypturellus atrocapillus*
Heard only around Pilcopata and Amazonia lodge

BARTLETT'S TINAMOU *Crypturellus bartletti*
Heard daily at MWC where we saw one bird very close from the trail.

Family: ANHIMIDAE (SCREAMERS)

HORNED SCREAMER *Anhima cornuta*
15+ seen at Cocha Blanco. A well named bird, as we were all impressed by his amazing loud call!!

Family: ANATIDAE (DUCKS)

ORINOCO GOOSE *Neochen jubata*
2 seen on the Alto Madre de Dios river.

MUSCOVY DUCK *Cairina moschata*
5 seen near MWC

SPECKLED (YELLOW-BILLED) TEAL *Anas flavirostris oxyptera*
50 seen at the Huacarpay lake and 5 more at the Acjanaco pass. All these birds belong to the *oxyptera* subspecies.

[the *andium* subspecies has already been splitted as Andean Teal, and a forthcoming split between *oxyptera* and *flavirostris* found in the south of South America is possible]

YELLOW-BILLED PINTAIL *Anas georgica*
4 at the Huacarpay lake

PUNA TEAL *Anas puna*
40 at the Huacarpay lake

CINNAMON TEAL *Anas cyanoptera*
10 at the Huacarpay lake

ANDEAN (RUDDY) DUCK *Oxyura jamaicensis ferruginea*
At least 10 birds seen at the Huacarpay lake.

Andean populations have often been treated as a separate species, *O. ferruginea* ("Andean Duck" or "Andean Ruddy-Duck"). However, see Adams and Slavid (1984), Fjeldså (1986), and McCracken & Sorenson (2005) for rationale for treating them as conspecific, as done previously (e.g., Blake 1977, Johnsgard 1979), and then followed by Fjeldså & Krabbe (1990) and Carboneras (1992f).

Family: CRACIDAE (GUANS)

ANDEAN GUAN *Penelope montagnii*
Nice views on several individuals on the upper part of the Manu road.

SPIX'S GUAN *Penelope jacquacu*
1 flushed on the Cocha Nueva trail, near MWC.

BLUE-THROATED PIPING-GUAN *Pipile cumanensis*
Seen almost daily in the lowlands.

(H) WATTLED GUAN *Aburria aburri*
Heard only at Amazonia lodge

SPECKLED CHACHALACA *Ortalis guttata*
Seen very well on the way to Atalaya, and at Amazonia lodge. The loud call of this species has been heard around Puerto Maldonado.

RAZOR-BILLED CURASSOW *Mitu tuberosum*
1 heard and flushed at Amazonia lodge.... better view desired....

Family: ODONTOPHORIDAE (NEW WORLD QUAILS)

(H) RUFIOUS-BREASTED WOOD-QUAIL *Odontophorus speciosus*
Heard at COR lodge

(H) STRIPE-FACED WOOD-QUAIL *Odontophorus balliviani* - RR
Heard above Pillahuata.

Family: PODICIPEDIDAE (GREBES)

WHITE-TUFTED GREBE *Rollandia rolland*
10 seen at the Huacarpay lake

Family: PHALACROCORACIDAE (CORMORANTS)

NEOTROPIC CORMORANT *Phalacrocorax brasilianus*
Few numbers seen in the lowlands

Family: ANHINGIDAE (ANHINGAS)

ANHINGA *Anhinga anhinga*
At least 10 seen at Cocha Blanco

Family: ARDEIDAE (HERONS)

FASCIATED TIGER-HERON *Tigrisoma fasciatum*
3 seen on the Alto Madre de Dios river.

BLACK-CROWNED NIGHT-HERON *Nycticorax nycticorax*
1 at the Huacarpay lake

CATTLE EGRET *Bubulcus ibis*
2 at the Huacarpay lake

COCOI HERON (WHITE-NECKED) *Ardea cocoi*
Few numbers in the lowlands

GREAT EGRET *Ardea alba*
1 at the Huacarpay lake, and few numbers in the lowlands

CAPPED HERON *Pilherodius pileatus*
A total of 4 birds seen in the lowlands

SNOWY EGRET *Egretta thula*
Common in the lowlands

LITTLE BLUE HERON *Egretta caerulea*
2 adults seen on the Alto Madre de Dios river

Family: THRESKIORNITHIDAE (IBISES)

PUNA IBIS *Plegadis ridgwayi*
150 at the Huacarpay lake

GREEN IBIS *Mesembrinibis cayennensis*
2 seen very well at the Cocha Blanco near MWC

ROSEATE SPOONBILL *Platalea ajaja*
6 birds seen on the way to Puerto Maldonado.

Family: CICONIIDAE (STORKS)

WOOD STORK *Mycteria americana*
20+ seen in the lowlands

Family: CATHARTIDAE (NEW WORLD VULTURES)

TURKEY VULTURE *Cathartes aura*

Common in the foothill

GREATER YELLOW-HEADED VULTURE *Cathartes melambrotus*
Common in the lowlands, replacing the Turkey Vulture in forested areas.

BLACK VULTURE *Coragyps atratus*
Common in the lowlands

KING VULTURE *Sarcoramphus papa*
4 birds seen in the lowlands, including a wonderful view on a bird soaring low above Cocha Blanco!!

Family: PANDIONIDAE (OSPREY)

OSPREY *Pandion haliaetus*
4 birds seen in the lowlands

Family: ACCIPITRIDAE (HAWKS)

HOOK-BILLED KITE *Chondrohierax uncinatus*
1 bird seen near Puerto Maldonado

SWALLOW-TAILED KITE *Elanoides forficatus*
Just 2 birds seen in the foothill.
One of the most beautiful raptor in South America!

DOUBLE-TOOTHED KITE *Harpagus bidentatus*
3 birds seen around MWC including a very close scope view from the MWC canopy platform, of a bird perched in the same tree than us!!

PLUMBEOUS KITE *Ictinia plumbea*
Common in the lowlands

CINEREOUS HARRIER *Circus cinereus*
A superbe view of a male at the Huacarpay lake.

SLATE-COLORED HAWK *Leucopternis schistaceus*
1 scope view from the Macaw clay-lik.

WHITE HAWK *Leucopternis albicollis*
1 seen soaring above the ridge at Amazonia lodge.

GREAT BLACK-HAWK *Buteogallus urubitinga*
A total of 5 birds seen in the lowlands

SOLITARY EAGLE *Harpyhaliaetus solitarius*
1 seen below COR lodge, and a spectacular view of another bird seen at eye level just below Rocotal.

ROADSIDE HAWK *Buteo magnirostris*
Common in the lowlands

GRAY HAWK *Buteo nitidus*
few birds seen around Puerto Maldonado

SHORT-TAILED HAWK *Buteo brachyurus*
1 seen from Cocha Camungo

WHITE-THROATED HAWK *Buteo albigula*
1 seen at Wayquecha.

VARIABLE HAWK *Buteo polyosoma*
1 seen near Huacarpay lake, and 1 excellent view on a perched female the next day. The taxonomy of this group is confusing, and some people try to split it as Puna Hawk B. poecilochrous and Red-backed Hawk B. polyosoma. SACC comment: Farquhar (1988) concluded that *Buteo poecilochrous* and *B. polyosoma* are conspecific, as they were formerly treated; he was unable to find any way to reliably diagnose the two forms using plumage characters or measurements. Ridgely & Greenfield (2001), Jaramillo (2003), and Schulenberg et al. (2007) followed this treatment and suggested "Variable Hawk" be retained for the composite species. Genetic data (Riesing et al. 2003) are consistent with hypothesis that *B. polyosoma* and *B. poecilochrous* are conspecific.

BLACK-AND-WHITE HAWK-EAGLE *Spizaetus melanoleucus*
1 seen on the way to Puerto Maldonado

BLACK HAWK-EAGLE *Spizaetus tyrannus*
An excellent view of a bird perched just above us. We saw all the details of this beautiful raptor, including the crest, characteristic of this genus.

Family: FALCONIDAE (FALCONS)

(H) LINED FOREST-FALCON *Micrastur gilvicollis*
Heard at MWC

SOUTHERN CARACARA *Caracara plancus*
1 seen near Pilcopata and another seen very well near Puerto Maldonado.
This species is spreading in Peru with the deforestation....
SACC: *Caracara cheriway* (Northern Caracara) and *C. plancus* (Southern Caracara) were formerly considered conspecific (e.g., Hellmayr & Conover 1949, Phelps & Phelps 1958a), sometimes also including *C. lutosus* of Guadalupe Island (e.g., Meyer de Schauensee 1970, Stresemann and Amadon 1979), but the ranges of *cheriway* and *plancus* are nearly parapatric with no sign of intergradation, contrary to earlier interpretations; they constitute a superspecies.

RED-THROATED CARACARA *Ibycter americanus*
2 seen flying at the Cocha blanco, and latter 2 more seen by John and Joanna when they were fishing.

MOUNTAIN CARACARA *Phalcoboenus megalopterus*
2 seen at Acjanaco

BLACK CARACARA *Daptrius ater*
1 seen along the Alto Madre de Dios river, and 4 more from the MWC canopy platform. Few birds have also been seen on the way to Puerto Madonado.

AMERICAN KESTREL *Falco sparverius*
Common in the dry Andes around Cusco

BAT FALCON *Falco ruficularis*
2 seen from the mirador before Atalaya, and 3 more during the boat rides in the lowlands.

Family: ARAMIDAE (LIMPKIN)

LIMPKIN *Aramus guarauna*
Just 1 bird seen at the Cacho Blanco lake.

Family: PSOPHIIDAE (TRUMPETERS)

PALE-WINGED TRUMPETER *Psophia leucoptera*
We simply had a fantastic and perfect view on 5 birds of this species !!! Seen preening on a trail at MWC, during about 10 minutes and at only 20 meters from us !
Anita, so happy to add a new family on her list, even realized for us the "Trumpeter dance" !! Just ask her if you meet her during another birding trip !

Family: RALLIDAE (RAILS)

(H) GRAY-NECKED WOOD-RAIL *Aramides cajanea*
Heard at Amazonia lodge

(H) UNIFORM CRAKE *Amaurolimnas concolor*
Heard daily at Amazonia lodge

RUFOUS-SIDED CRAKE *Laterallus melanophaius*
First heard only on the way to Atalaya, and finally seen at Cocha Blanco where one bird has been found in the open, perched on the top of some grass on the shore of the lake. Unfortunately, the bird rapidly ran into the vegetation but came back after some playback.

PLUMBEOUS RAIL *Pardirallus sanguinolentus*
Fantastic views on at least 10 birds at the Huacarpay lake !!

COMMON MOORHEN *Gallinula chloropus*
30+ at the Huacarpay lake

SLATE-COLORED (ANDEAN) COOT *Fulica ardesiaca*
60+ at the Huacarpay lake

Family: HELIORNITHIDAE (FINFOOTS)

SUNGREBE *Heliornis fulica*
Just 1 seen but unfortunately too briefly, at Cocha Blanco

Family: EURYPYGIDAE (SUNBITTERN)

SUNBITTERN *Eurypyga helias*
2 seen well at Amazonia lodge, and 2 more seen very well from the blind at the Macaw clay-lik !!

Family: CHARADRIIDAE (PLOVERS)

PIED LAPWING *Vanellus cayanus*
A beautiful shorebird !
Fairly common on the sandy beaches in the lowlands

ANDEAN LAPWING *Vanellus resplendens*
10+seen at Huacarpay lake.

COLLARED PLOVER *Charadrius collaris*
Fairly common on the sandy beaches in the lowlands

Family: RECURVIROSTRIDAE (AVOCETS and STILTS)

BLACK-NECKED STILT *Himantopus mexicanus mexicanus*
1 seen at the Huacarpay lake, of the *mexicanus* subspecies.
SACC: Some authors have treated southern South American *melanurus* as a separate species (e.g., Sibley & Monroe 1990, Ridgely & Greenfield 2001). The six taxa in the genus *Himantopus* form a near-globally distributed superspecies (Mayr & Short 1970, Sibley & Monroe 1990, Pierce 1996), and with from one to six species-level taxa recognized by various authors. Virtually no data are available relevant to taxon-ranking of allopatric populations. The contact between *mexicanus* and *melanurus* in South America, where at least some hybridization occurs, affords one of the best opportunities for such study

Family: SCOLOPACIDAE (SANDPIPERS)

(H) ANDEAN SNIPE *Gallinago jamesoni*
Heard at Wayquecha.

GREATER YELLOWLEGS *Tringa melanoleuca*
Only 1 at Huacarpay lake.

Family: JACANIDAE (JACANAS)

WATTLED JACANA *Jacana jacana*
Seen at the two oxbow lakes we visited: Cocha Blanco and Cocha Camungo

Family: LARIDAE (GULLS)

ANDEAN GULL *Chroicocephalus serranus*
10 seen at the Huacarpay lake

YELLOW-BILLED TERN *Sternula superciliaris*
Seen daily in the lowlands

LARGE-BILLED TERN *Phaetusa simplex*
Seen daily in the lowlands

Family: RYNCHOPIDAE (SKIMMERS)

BLACK SKIMMER *Rynchops niger*
Seen almost daily in the lowlands

Family: COLUMBIDAE (PIGEONS)

RUDDY GROUND-DOVE *Columbina talpacoti*
At least 5 birds seen around Puerto Maldonado

BARE-FACED GROUND-DOVE *Metriopelia ceciliae*
4 birds seen at the Huacarpay lake

SPOT-WINGED PIGEON *Patagioenas maculosa*
4 birds seen in the dry Andes, on the way to Paucartambo

BAND-TAILED PIGEON *Patagioenas fasciata*
Some big flocks seen on the upper part of the Manu road.

PALE-VENTED PIGEON *Patagioenas cayennensis*
Regularly seen in the lowlands, and especially at Cocha Blanco where we had the best views.

PLUMBEOUS PIGEON *Patagioenas plumbea*
Heard almost daily in the lowlands, but we also seen few of them, especially around COR lodge.

(H) RUDDY PIGEON *Patagioenas subvinacea*
Heard at Amazonia lodge and MWC

EARED DOVE *Zenaida auriculata*
Fairly common around Cusco

GRAY-FRONTED DOVE *Leptotila rufaxilla*
Few birds seen in the lowlands and in the garden of COR lodge.

RUDDY QUAIL-DOVE *Geotrygon montana*
1 bird seen at Amazonia lodge, and another one near MWC

Family: PSITTACIDAE (PARROTS)

BLUE-AND-YELLOW MACAW *Ara ararauna*
The 2 first birds were seen just below the COR lodge, just after a flock of the following species. Many more have been seen in the lowlands and especially around MWC

MILITARY MACAW *Ara militaris* - Vulnerable
2 sightings of this very rare species: a flock of 12 birds seen just below the COR lodge !! and 4 more at Amazonia lodge !

SCARLET MACAW *Ara macao*
Seen daily in the lowlands and especially around MWC

RED-AND-GREEN MACAW *Ara chloropterus*
We had 42 birds coming on the clay at the Macaw clay-lik near MWC, and several sightings of flying birds in the lowlands.

CHESTNUT-FRONTED MACAW *Ara severus*
Common in the lowlands

RED-BELLIED MACAW *Orthopsittaca manilata*
Few birds seen flying around MWC, and 4 more seen in Moriche Palm trees near Puerto Maldonado

BLUE-HEADED MACAW *Primolius couloni* - Vulnerable
8 birds seen flying at Cocha Blanco, and 8 more the next day near Cocha nueva... the same ?

GOLDEN-PLUMED PARAKEET *Leptosittaca branickii* - Vulnerable
An excellent view on 15 birds near Wayquecha

MITRED PARAKEET *Aratinga mitrata*
A flock of 30 birds seen near Paucartambo, seen in the scope.

WHITE-EYED PARAKEET *Aratinga leucophthalma*
40+ seen on the way to Amazonia lodge, and few more around MWC

DUSKY-HEADED PARAKEET *Aratinga weddellii*
A very nice view on 5 perched birds at Cocha Blanco

COBALT-WINGED PARAKEET *Brotogeris cyanoptera*
Common in the lowlands

TUI PARAKEET *Brotogeris sanctithomae*
5 birds came to the clay-lik near MWC

WHITE-BELLIED PARROT *Pionites leucogaster*
A perfect view on 5 birds from the canopy platform at Cocha Camungo

ORANGE-CHEEKED PARROT *Pyrilia barrabandi*
5 birds between the Blue-headed Parrot at the clay-lik near MWC

BLUE-HEADED PARROT *Pionus menstruus*
Seen daily in the lowlands, and 300+ came to the clay-lik near MWC

SPECKLE-FACED PARROT *Pionus tumultuosus*
4 birds seen on the upper part of the Manu road. These ones belong to the *tumultuosus* subspecies.

SACC comment: the subspecies *seniloides* was formerly (e.g., Peters 1937, Meyer de Schauensee 1970) considered a separate species ("White-capped Parrot") from *Pionus tumultuosus*, but see O'Neill & Parker (1977), who noted that the only differences between the two are the degree of saturation of rosy pigment; this treatment was followed by Collar (1997) and Dickinson (2003), but not by Forshaw (1989), Fjeldså & Krabbe (1990), or Ridgely et al. (2001). There is no evidence of intergradation between the two. SACC proposal to treat *seniloides* as a species did not pass. Recent genetic data (Ribas et al. 2007) indicate that the genetic distance between them is about the same as other taxa ranked as species in *Pionus*. Proposal needed? English name "Speckle-faced Parrot" for composite species follows suggestion by Fjeldså & Krabbe (1990).

YELLOW-CROWNED PARROT *Amazona ochrocephala*
10 birds seen at the clay-lik

SCALY-NAPED PARROT *Amazona mercenaria*
Few birds seen on the upper part of the Manu road

MEALY PARROT *Amazona farinosa*
Fairly common in the lowlands, and we had excellent views on 15 birds at the clay-lik

Family: OPISTHOCOMIDAE (HOATZIN)

HOATZIN *Opisthocomus hoazin*
Excellent view of this "prehistoric" species at Amazonia lodge, and on the oxbow lakes near MWC.

Family: CUCULIDAE (CUCKOOS)

SQUIRREL CUCKOO *Piaya cayana*

Contacted daily in the lowlands

BLACK-BELLIED CUCKOO *Piaya melanogaster*
An excellent view on 2 birds from the canopy platform at Cocha Camungo

SMOOTH-BILLED ANI *Crotophaga ani*
Common in the lowlands

Family: STRIGIDAE (OWLS)

RUFESCENT SCREECH-OWL *Megascops ingens*
1 birds seen very well above COR lodge, and one more was heard in the garden of this lodge.

TAWNY-BELLIED SCREECH-OWL *Megascops watsonii*
Heard daily in Amazonia lodge where we had a very close view of a bird perched at eye level and at only 1 meter from us!!!
1 more has been seen at MWC

(H) WHITE-THROATED SCREECH-OWL *Megascops albogularis*
Heard only around Wayquecha, after repeated search in the evening and morning.

(H) CRESTED OWL *Lophostrix cristata*
Heard at MWC

(H) SPECTACLED OWL *Pulsatrix perspicillata*
Heard at MWC

(H) BAND-BELLIED OWL *Pulsatrix melanota*
Heard above COR lodge and Amazonia lodge

BLACK-BANDED OWL *Ciccaba huhula*
Heard daily at Amazonia lodge where we had a nice view on one bird.

(H) RUFOUS-BANDED OWL *Ciccaba albitarsis*
Heard near the tunnels at Wayquecha

YUNGAS PYGMY-OWL *Glaucidium bolivianum*
1 seen by daytime below Wayquecha

(H) AMAZONIAN PYGMY-OWL *Glaucidium hardyi*
Unfortunately, heard only at MWC where one was singing close to the lodge.

FERRUGINOUS PYGMY-OWL *Glaucidium brasilianum*
An excellent view on one bird spotted by Anita at Cocha Blanco, and one more seen on the Cocha Nueva trail.

Family: NYCTIBIIDAE (POTOOS)

(H) GREAT POTOO *Nyctibius grandis*
Heard at Amazonia lodge

COMMON POTOO *Nyctibius griseus*
Heard daily at Amazonia lodge where we had a nice view on one bird. Also heard at MWC.

ANDEAN POTOO *Nyctibius maculosus*
2 birds at the same place than last year. Nice very well !!

Family: CAPRIMULGIDAE (NIGHTJARS)

SAND-COLORED NIGHTHAWK *Chordeiles rupestris*
Several sightings in the lowlands. We found some large groups on the river islands.

COMMON PAURAQUE *Nyctidromus albicollis*
Heard daily at Amazonia lodge where we saw few birds.

(H) SILKY-TAILED NIGHTJAR *Caprimulgus sericocaudatus*
Heard at the tapir lik at MWC

LADDER-TAILED NIGHTJAR *Hydropsalis climacocerca*
1 seen near MWC, and another one seen very well by daytime at Cocha Blanco

SWALLOW-TAILED NIGHTJAR *Uropsalis segmentata*
At least 3 different birds seen around Wayquecha, including a wonderful male !

LYRE-TAILED NIGHTJAR *Uropsalis lyra*
2 birds seen flying above us near COR lodge.

Family: APODIDAE (SWIFTS)

CHESTNUT-COLLARED SWIFT *Streptoprocne rutila*
Several groups found on the Manu road and at Amazonia lodge

WHITE-COLLARED SWIFT *Streptoprocne zonaris*
Common in the lowlands

GRAY-RUMPED SWIFT *Chaetura cinereiventris*
Several sightings, near Amazonia lodge and MWC

SHORT-TAILED SWIFT *Chaetura brachyura*
4 birds seen from the blind at the Macaw clay-lik

FORK-TAILED PALM-SWIFT *Tachornis squamata*
Fairly common in the lowlands

LESSER SWALLOW-TAILED SWIFT *Panyptila cayennensis*
1 bird seen from the blind at the Macaw clay-lik

Family: TROCHILIDAE (HUMMINGBIRDS)

WHITE-NECKED JACOBIN *Florisuga mellivora*
Seen daily at the Amazonia lodge feeders, and 1 more at MWC

RUFIOUS-BREASTED HERMIT *Glaucis hirsutus*
1 bird coming to the flowers in the MWC garden

REDDISH HERMIT *Phaethornis ruber*
Seen daily in the flowers of the MWC garden

WHITE-BROWED HERMIT *Phaethornis stuarti*
1 seen below COR lodge

WHITE-BEARDED HERMIT *Phaethornis hispidus*
Seen daily at the feeders at Amazonia lodge and MWC

KOEPCKE'S HERMIT *Phaethornis koepckeae* Peruvian endemic
1 seen at Amazonia lodge

NEEDLE-BILLED HERMIT *Phaethornis philippii*
1 seen near MWC

GREEN-FRONTED LANCEBILL *Doryfera ludovicae*
1 seen below Rocotal

GREEN VIOLETEAR *Colibri thalassinus*
Few leks found on the upper part of the Manu road, where we had good views on some birds.

SPARKLING VIOLETEAR *Colibri coruscans*
Common in the dry Andes and at the feeders at COR and Amazonia lodges.

AMETHYST-THROATED SUNANGEL *Heliangelus amethysticollis*
Several excellent sightings around Wayquecha

WIRE-CRESTED THORNTAIL *Discosura popelairii*
A male seen only by Anita in the COR lodge garden

RUFOUS-CRESTED COQUETTE *Lophornis delattrei*
A pair seen daily in the flowers of the Amazonia lodge garden

SPECKLED HUMMINGBIRD *Adelomyia melanogenys*
Excellent views on the birds coming to the flowers in the Amazonia lodge garden

LONG-TAILED SYLPH *Agelaiocercus kingi*
Several birds seen on the upper part of the Manu road.

BLACK-TAILED TRAINBEARER *Lesbia victoriae*
A beautiful male seen near Cusco

GREEN-TAILED TRAINBEARER *Lesbia nuna*
2 birds seen at Huacarpay lake.

RUFOUS-CAPPED THORNBILL *Chalcostigma ruficeps*
1 male seen in the Wayquecha garden, and another one near the same lodge.

BEARDED MOUNTAINEER *Oreonympha nobilis* - RR - Peruvian endemic
Just one bird, but an excellent view of this beautiful hummingbird at Huacarpay lake.

TYRIAN METALTAIL *Metallura tyrianthina*
Common around Wayquecha

SCALED METALTAIL *Metallura aeneocauda* - RR
1 bird seen near Wayquecha

BUFF-THIGHED PUFFLEG *Haplophaedia assimilis*
3 different birds seen around Rocotal.

SHINING SUNBEAM *Aglaeactis cupripennis*
Nice views on 2 birds near Paucartambo

BRONZY INCA *Coeligena coeligena*
3 birds seen on the upper part of the Manu road

COLLARED INCA *Coeligena torquata*
BUFF-WINGED STARFRONTLET *Coeligena lutetiae*

VIOLET-THROATED STARFRONTLET *Coeligena violifer*
Nice views on this one on the upper part of the Manu road.

WORD-BILLED HUMMINGBIRD *Ensifera ensifera*
A leader only. A bird that flew above us and never perched...

GREAT SAPPHIREWING *Pterophanes cyanopterus*
A pair seen at Acjanaco

CHESTNUT-BREASTED CORONET *Boissonneaua matthewsii*
Excellent view on one bird on the upper part of the Manu road

BOOTED RACKET-TAIL *Ocreatus underwoodii*
Excellent views on this lovely bird, seen daily at COR lodge.

GOULD'S JEWELFRONT *Heliodoxa aurescens*
Seen daily at Amazonia lodge, and 1 bird seen at MWC

VIOLET-FRONTED BRILLIANT *Heliodoxa leadbeateri*
The most common hummingbird in the COR lodge garden

GIANT HUMMINGBIRD *Patagona gigas*
A perfect view on one bird feeding on nicotina flowers near the Huacarpay lake.

LONG-BILLED STARTHROAT *Heliopteryx longirostris*
One seen at the feeders at Amazonia lodge.

WHITE-BELLIED WOODSTAR *Chaetocercus mulsant*
2 males seen at lunch at Rocotal !!

AMETHYST WOODSTAR *Calliphlox amethystina*
2 birds seen in the Amazonia lodge garden

BLUE-TAILED EMERALD *Chlorostilbon mellisugus*
1-2 birds seen daily in the flowers of the Amazonia lodge garden

VIOLET-HEADED HUMMINGBIRD *Klais guimeti*
Seen daily in the flowers of the Amazonia lodge garden

GRAY-BREASTED SABREWING *Campylopterus largipennis*
Seen daily at the Amazonia lodge feeders

FORK-TAILED WOODNYMPH *Thalurania furcata*

Seen daily at Amazonia lodge and MWC

MANY-SPOTTED HUMMINGBIRD *Taphrospilus hypostictus*
Seen daily in the garden of COR lodge

SAPPHIRE-SPANGLED EMERALD *Amazilia lactea*
Seen daily in the Amazonia lodge garden

GOLDEN-TAILED SAPPHIRE *Chrysuronia oenone*
A superbe hummingbird seen daily in the garden of Amazonia lodge

WHITE-CHINNED SAPPHIRE *Hylocharis cyanus*
A nice bird seen from the canopy platform at MWC

Family: TROGONIDAE (TROGONS)

PAVONINE QUETZAL *Pharomachrus pavoninus*
1 male heard and briefly seen at MWC

GOLDEN-HEADED QUETZAL *Pharomachrus auriceps*
3 birds seen on the way down to COR lodge

CRESTED QUETZAL *Pharomachrus antisianus*
A beautiful male seen on the way down to COR lodge

BLACK-TAILED TROGON *Trogon melanurus*
Heard or seen daily in the lowlands

VIOLACEOUS TROGON *Trogon violaceus*
2 birds seen very well near Cocha Camungo

BLUE-CROWNED TROGON *Trogon curucui*
We found the first one on the way down to Amazonia lodge. Several more heard or seen in the lowlands.

COLLARED TROGON *Trogon collaris*
1 seen on the grid at MWC. Many more heard only.

MASKED TROGON *Trogon personatus*
Several sightings along the Manu road

Family: ALCEDINIDAE (KINGFISHERS)

RINGED KINGFISHER *Megaceryle torquata*
One seen from the blind at the Macaw clay-lik, and 4 more at the Cocha Blanco

AMAZON KINGFISHER *Chloroceryle amazona*
Several sightings in the lowlands

GREEN KINGFISHER *Chloroceryle americana*
A total of 5 birds in the lowlands

Family: MOMOTIDAE (MOTMOTS)

BROAD-BILLED MOTMOT *Electron platyrhynchum*

Heard almost daily around MWC, where we had an excellent view on one perched bird!

RUFOUS MOTMOT *Baryphthengus martii*

Another excellent view, on 1 bird just below COR lodge.

BLUE-CROWNED MOTMOT *Momotus momota*

Heard or seen daily around MWC

HIGHLAND MOTMOT *Momotus momota aequitorialis*

A nice view of one bird perched near COR lodge. This one belonging to the *aequitorialis* subspecies of Blue-crowned Motmot.

SACC comments: *Momotus momota* may consist of several species-level taxa (e.g., Ridgely & Greenfield 2001). The subspecies *aequitorialis*, *venezuelae*, *subrufescens*, *microstephanus*, and *argenticinctus* were all formerly (e.g., Ridgway 1914, Cory 1919) considered separate species from *M. momota*, as were two Middle American taxa. Chapman (1923) recognized four species in South America: *M. subrufescens* (including "*venezuelae*") of the Caribbean rim of northern South America, *M. bahamensis* of Trinidad, *M. aequitorialis* of the Andes, and *M. momota* (including *microstephanus*) of the rest of South America, including *argenticinctus* of western Ecuador and northwestern Peru. Peters (1945) considered them all conspecific, and this was followed by Meyer de Schauensee (1970) and AOU (1983, 1998). Fjeldså & Krabbe (1990) proposed that the Andean form *aequitorialis* was a separate species from *M. momota*, and this was followed by Ridgely & Greenfield (2001), Dickinson (2003), and Schulenberg et al. (2007), thus returning to the classification of Cory (1919) and Chapman (1923, 1926). However, no formal analysis has ever been published, and the published evidence in support of treating *aequitorialis* as a species-level taxon is weak. SACC proposal passed for treating *aequitorialis* as conspecific with *M. momota* (and we hope that this decision stimulates further research on the *M. momota* complex).

Family: GALBULIDAE (JACAMARS)

PURUS JACAMAR *Galbalcyrhynchus purusianus*

First one seen at Cocha Blanco, and 3 more at Cocha Camungo

BLUISH-FRONTED JACAMAR *Galbula cyanescens*

Seen or heard almost daily in the lowlands

GREAT JACAMAR *Jacamerops aureus*

A fantastic sighting on this one on the trail system at MWC

Family: BUCCONIDAE (PUFFBIRDS)

BLACK-STREAKED PUFFBIRD *Malacoptila fulvogularis*

1 seen very well at COR lodge

LANCEOLATED MONKLET *Micromonacha lanceolata*

A scope view on this one at Quitacalzones

(H) RUFOUS-CAPPED NUNLET *Nonnula ruficapilla*

Heard at Amazonia lodge

BLACK-FRONTED NUNBIRD *Monasa nigrifrons*

Seen daily in the lowlands

WHITE-FRONTED NUNBIRD *Monasa morphoeus*

Just one seen at MWC

SWALLOW-WINGED PUFFBIRD *Chelidoptera tenebrosa*
Seen daily in the lowlands

Family: CAPITONIDAE (NEW WORLD BARBETS)

GILDED BARBET *Capito auratus*
2 seen very well from the platform at Amazonia lodge

LEMON-THROATED BARBET *Eubucco richardsoni*
Heard daily in the lowlands. Seen at Amazonia lodge, but the best view where from the garden of MWC where a bird was coming every day to feed in a fruiting tree..

VERSICOLORED BARBET *Eubucco versicolor*
A total of 5 birds seen around COR lodge

Family: RAMPHASTIDAE (TOUCANS)

WHITE-THROATED TOUCAN *Ramphastos tucanus*
Heard or seen daily in the lowlands. These ones belong to the *cuvieri* subspecies. Haffer (1974) showed that *R. cuvieri* ("Cuvier's Toucan") and *R. tucanus* form a broad hybrid zone in northern and eastern Amazonia, and, therefore, treated *cuvieri* (with *inca*, also considered a separate species by Peters 1948) as a subspecies of *Ramphastos tucanus*; see also Short & Horne (2001); this treatment has been followed by most subsequent authors, but Sibley & Monroe (1990) continued to treat *cuvieri* as a species, following earlier classifications (e.g., Cory 1919, Peters 1948, Meyer de Schauensee 1970)

CHANNEL-BILLED TOUCAN *Ramphastos vitellinus*
Few seen in the lowlands. These ones belong to the *culminatus* subspecies. Cory (1919) and Meyer de Schauensee (1966, 1970) considered *R. culminatus* ("Yellow-ridged Toucan") and *R. citrolaemus* ("Citron-throated Toucan") as separate species from *Ramphastos vitellinus*. Haffer (1974) treated these as a subspecies of *R. vitellinus*, and this treatment, actually a partial return to the classification of Pinto (1937) and Peters (1948), has been followed by most subsequent authors (but not Sibley & Monroe 1990, Hilty 2003). Haffer identified broad hybrid zones between *vitellinus* and *culminatus* wherever they meet; see Short & Horne (2001) for additional information.

EMERALD TOUCANET *Aulacorhynchus prasinus*
2 birds seen near Atalaya, on the way down to Amazonia lodge. And 1 more at Amazonia lodge.
These ones belong to the *atrogularis* subspecies.
SACC: Ridgely & Greenfield (2001) suggested that *Aulacorhynchus prasinus* may consist of more than one species-level taxon, but see Short & Horne (2001), who pointed out that the allopatric taxa are no more distinctive than those known to intergrade. The subspecies *lautus*, *albivitta*, *cyanolaemus*, *dimidiatus*, and *atrogularis*, as well as Middle American *wagleri* and *caeruleogularis*, were formerly (e.g., Ridgway 1914, Cory 1919) each considered separate species from (and in some cases not particularly closely related to) *Aulacorhynchus prasinus*, but Peters (1948) and Haffer (1974) treated them all as conspecific. Puebla-Olivares et al. (2008) identified three clades in South America based on mtDNA and proposed species rank for each.

BLUE-BANDED TOUCANET *Aulacorhynchus coeruleicinctis*
Several sightings from the upper part of the Manu road

(H) GRAY-BREASTED MOUNTAIN-TOUCAN *Andigena hypoglauca*
grrr...they where so close that we saw the leaves moving, but we never saw the birds...

GOLDEN-COLLARED TOUCANET *Selenidera reinwardtii*

A nice bird showing well at MWC

CHESTNUT-EARED ARACARI *Pteroglossus castanotis*
Seen few times in the lowlands

CURL-CRESTED ARACARI *Pteroglossus beauharnaesii*
An excellent scope view from the canopy platform at MWC

Family: PICIDAE (WOODPECKERS)

RUFOUS-BREASTED PICULET *Picumnus rufiventris*
A superbe view on 2 birds on the Cocha Nueva trail.

FINE-BARRED PICULET *Picumnus subtilis* - RR - Peruvian endemic
3 birds seen very well and very close to us, on the way down to Amazonia lodge.

YELLOW-TUFTED WOODPECKER *Melanerpes cruentatus*
Common in the lowlands

LITTLE WOODPECKER *Veniliornis passerinus*
1 seen by Fabrice at Amazonia lodge, and one more found by Anita near Puerto Maldonado

RED-STAINED WOODPECKER *Veniliornis affinis*
Two sightings of 2 birds, below COR lodge and at MWC

GOLDEN-OLIVE WOODPECKER *Colaptes rubiginosus*
2 sightings around COR lodge

CRIMSON-MANTLED WOODPECKER *Colaptes rivolii*
A fantastic view above Rocotal

SPOT-BREASTED WOODPECKER *Colaptes punctigula*
2 birds seen very well in the dead trees at Cocha Blanco

ANDEAN FLICKER *Colaptes rupicola*
At least 5 birds seen on the way to Wayquecha

RUFOUS-HEADED WOODPECKER *Celeus spectabilis*
2 birds seen at few meters above us near MWC !!! One of the most beautiful woodpecker !!

(H) RINGED WOODPECKER *Celeus torquatus*
Heard at MWC

LINEATED WOODPECKER *Dryocopus lineatus*
Several good sightings in the lowlands

RED-NECKED WOODPECKER *Campephilus rubicollis*
Another fantastic woodpecker, seen or heard daily around MWC

CRIMSON-CRESTED WOODPECKER *Campephilus melanoleucos*
Different sightings in the lowlands

Family: FURNARIIDAE (OVENBIRDS)

SLENDER-BILLED MINER *Geositta tenuirostris*
A nice bird seen very well on the way to Paucartambo

BAR-WINGED CINCLODES *Cinclodes fuscus*
At least 5 different birds seen in the high Andes on the way to Paucartambo

PALE-LEGGED HORNERO *Furnarius leucopus*
Seen or heard daily in the gardens of Amazonia lodge and MWC

WREN-LIKE RUSHBIRD *Phleocryptes melanops*
15+ seen at the Huacarpay lake

PUNA THISTLETAIL *Schizoeaca helleri* - RR
2 birds seen above Wayquecha

AZARA'S SPINETAIL *Synallaxis azarae*
Seen or heard daily along the Manu road

DARK-BREASTED SPINETAIL *Synallaxis albigularis*
1 bird seen well on the way to Atalaya

CABANIS'S SPINETAIL *Synallaxis cabanisi*
1 seen (briefly...) at Amazonia lodge, and another one seen (again briefly...) at MWC

MARAÑON SPINETAIL *Synallaxis maranonica* - Vulnerable - RR

PLAIN-CROWNED SPINETAIL *Synallaxis gujanensis*
1 seen in the garden of Amazonia lodge, and 2 more near Puerto Maldonado

MARCAPATA SPINETAIL *Cranioleuca marcapatae* - RR - Peruvian endemic
At least 6 birds seen below Wayquecha, including some excellent views !!

CREAMY-CRESTED SPINETAIL *Cranioleuca albicapilla* - RR - Peruvian endemic
1 bird seen above Paucartambo, and another one at Acjanaco

ASH-BROWED SPINETAIL *Cranioleuca curtata*
2 birds seen in a mixed-species flock near COR lodge

PLAIN SOFTTAIL *Thripophaga fusciceps*
Heard in the MWC garden, and 2 birds seen near Cocha Camungo.

RUSTY-FRONTED CANASTERO *Asthenes ottonis* - RR - Peruvian endemic
4 different birds seen at the Huacarpay lake

STREAK-THROATED CANASTERO *Asthenes humilis*
2 birds in the high Andes on the way to Paucartambo

STREAK-FRONTED THORNBIRD *Phacellodomus striaticeps*
3 birds seen at the Huacarpay lake

SPOTTED BARBTAIL *Premnoplex brunnescens*
1 seen well above COR lodge

PEARLED TREERUNNER *Margarornis squamiger*

Several sightings of this beautiful birds on the upper part of the Manu road, in mixed-species flocks

STREAKED TUFTEDCHEEK *Pseudocolaptes boissonneautii*
2 birds seen on the upper part of the Manu road

POINT-TAILED PALMCREEPER *Berlepschia rikeri*
An excellent sighting of 3 birds in Moriche Palm trees near Puerto Maldonado !!

MONTANE FOLIAGE-GLEANER *Anabacerthia striaticollis*
Few birds seen around COR lodge

BUFF-BROWED FOLIAGE-GLEANER *Syndactyla rufosuperciliata*
1 in a mixed-species flock at Rocotal

PERUVIAN RECURVEBILL *Simoxenops ucayalae*
A very responsive bird seen on the Anthrush trail, and one more heard on the Cocha Nueva trail

(H) CHESTNUT-WINGED HOOKBILL *Ancistrops strigilatus*
Heard at MWC

(H) STRIPED WOODHAUNTER *Hyloctistes subulatus*
Heard on the hillside above Amazonia lodge

RUFOUS-TAILED FOLIAGE-GLEANER *Philydor ruficaudatum*
2 birds in a canopy mixed-species flock, seen from the canopy platform at MWC

RUFOUS-RUMPED (OCHRE-BELLIED) FOLIAGE-GLEANER *Philydor erythrocerum ochrogaster*
1 seen in a mixed-species flock at Quitacalzone. This subspecies is a possible forthcoming split.

RUFOUS-RUMPED FOLIAGE-GLEANER *Philydor erythrocerum*
1 seen on the trail system at MWC

BUFF-FRONTED FOLIAGE-GLEANER *Philydor rufum*
2 seen in a mixed-species flock at Amazonia lodge

DUSKY-CHEEKED FOLIAGE-GLEANER *Anabazenops dorsalis*
1 seen below Quitacalzones, and 1 more heard at Amazonia lodge

BLACK-BILLED TREEHUNTER *Thripadectes melanorhynchus*
1 seen below the mirador above COR lodge

STRIPED TREEHUNTER *Thripadectes holostictus*
1 seen very well above Rocotal

(H) BUFF-THROATED FOLIAGE-GLEANER *Automolus ochrolaemus*
Heard several times, below COR lodge, at Amazonia lodge and MWC, but we never saw one...
The one heard below COR lodge even came at less than 2 meters from us, but he stayed invisible in very dense vegetation.

OLIVE-BACKED FOLIAGE-GLEANER *Automolus infuscatus*

A very nice view of a cooperative bird on the creekside trail at MWC

CHESTNUT-CROWNED FOLIAGE-GLEANER *Automolus rufipileatus*
Common by call, but difficult to see.
We finally saw one on the Cocha Nueva trail.

(H) SHARP-TAILED STREAMCREEPER *Lochmias nematura*
Heard on the Manu road

SLENDER-BILLED XENOPS *Xenops tenuirostris*
Only seen, and photographed, by Denise in the Amazonia lodge garden.

PLAIN XENOPS *Xenops minutus*
1 seen at Quitacalzones.

LONG-TAILED WOODCREEPER *Deconychura longicauda*
1 seen on the grid at MWC

OLIVACEOUS WOODCREEPER *Sittasomus griseicapillus*
1 seen in the garden of MWC, here of the subspecies *amazonus*. Keep track of your subspecies, as forthcoming splits are possible.

WEDGE-BILLED WOODCREEPER *Glyphorhynchus spirurus*
1 seen in the garden of MWC

(H) LONG-BILLED WOODCREEPER *Nasica longirostris*
Heard from the canopy platform at Cocha Camungo

CINNAMON-THROATED WOODCREEPER *Dendrexetastes rufigula*
Common in the lowlands

STRONG-BILLED WOODCREEPER *Xiphocolaptes promeropirhynchus*
An excellent view of a calling bird from the mirador above Atalaya. This one belongs to the *berlepschi* subspecies.

BLACK-BANDED WOODCREEPER *Dendrocolaptes picumnus*
1 bird very cooperative on the Cocha Nueva trail.
Here of the subspecies *validus*.

STRAIGHT-BILLED WOODCREEPER *Dendroplex picus*
1 nice view on a bird near Puerto Maldonado

ELEGANT (JURUA) WOODCREEPER *Xiphorhynchus elegans*
1 seen on the grid at MWC and few more heard, here of the *juruanus* subspecies sometimes split as *Jurua Woodcreeper*.

BUFF-THROATED WOODCREEPER *Xiphorhynchus guttatus*
Common in the lowlands where heard or seen daily.
All these birds belong to the *guttatoides* subspecies, sometimes split as *Lafresnaye's Woodcreeper*.

OLIVE-BACKED WOODCREEPER *Xiphorhynchus triangularis*
Few seen around COR lodge

MONTANE WOODCREEPER *Lepidocolaptes lacrymiger*

Few seen on the upper part of the Manu road

LINEATED WOODCREEPER *Lepidocolaptes albolineatus*
2 seen at Amazonia lodge, and latter an excellent view on 2 birds from the canopy platform at MWC.

RED-BILLED SCYTHEBILL *Campylorhamphus trochilirostris*
A very responsive bird at Amazonia lodge!!! What a bill !!

Family: THAMNOPHILIDAE (ANTBIRDS)

BAMBOO ANTSHRIKE *Cymbilaimus sanctaemariae*
Few heard in the lowlands, and 2 male seen perfectly in Amazonia lodge.

GREAT ANTSHRIKE *Taraba major*
Very common by voice in the lowlands and especially at Amazonia lodge. We finally saw a male near Cocha Blanco, and a pair foraging at an army ant swarm on the Cocha Nueva trail.

BARRED ANTSHRIKE *Thamnophilus dolius*
We first found a pair on the way down to Pilcopata, and latter a very responsive male at Cocha Blanco. We also found it near Puerto Maldonado.

(H) CHESTNUT-BACKED ANTSHRIKE *Thamnophilus palliatus*
After many tentative around COR lodge, this species stays in the heard list....

PLAIN-WINGED ANTSHRIKE *Thamnophilus schistaceus*
Common by voice in the lowlands. 1 seen on the way to Pilcopata.

RUSSET ANTSHRIKE *Thamnistes anabatinus*
1 seen in a mixed species flock at Quitacalzone.

DUSKY-THROATED ANTSHRIKE *Thamnomanes ardesiacus*
Fairly common around MWC where we saw it several times.

BLUISH-SLATE ANTSHRIKE *Thamnomanes schistogynus*
Fairly common in the lowlands.

SPOT-WINGED ANTSHRIKE *Pygoptila stelleris*
A male seen very well in a mixed species flock on the grid at MWC.

FOOTHILL ANTWREN *Epinecrophylla spodionota*
One bird responding well to the tape and seen well by everybody.

(H) ORNATE ANTWREN *Epinecrophylla ornata*
Heard in the bamboo near the COR lodge

PYGMY ANTWREN *Myrmotherula brachyura*
Seen few times and very well at Amazonia lodge

SCLATER'S ANTWREN *Myrmotherula sclateri*
Common by voice in the lowlands, but we also saw a pair from the Cocha Camungo canopy platform.

(H) AMAZONIAN STREAKED-ANTWREN *Myrmotherula multostriata*

Heard at Cacho Blanco

STRIPE-CHESTED ANTWREN *Myrmotherula longicauda*
Good view in the bamboo around COR lodge.

PLAIN-THROATED ANTWREN *Myrmotherula hauxwelli*
A nice view on this very little antwren, during our first visit to the grid at MWC

LONG-WINGED ANTWREN *Myrmotherula longipennis*
Few sightings around MWC

GRAY ANTWREN *Myrmotherula menetriesii*
Well seen in a flock on the way to the canopy platform at Amazonia lodge

YELLOW-BREASTED ANTWREN *Herpsilochmus axillaris*
A fantastic view of a very responsive pair in the garden of COR lodge

STRIATED ANTBIRD *Drymophila devillei*
Seen very well in the bamboo on the Cocha Nueva trail

YELLOW-BREASTED WARBLING-ANTBIRD *Hypocnemis subflava*
Common in the lowlands. Seen well several times, especially around COR lodge and MWC.

CHESTNUT-SHOULDERED ANTWREN *Terenura humeralis*
A nice view on this one, in a mixed species flock at MWC

(H) YELLOW-RUMPED ANTWREN *Terenura sharpei* - RR - Endangered
Unfortunately, heard only in a flock above COR lodge

GRAY ANTBIRD *Cercomacra cinerascens*
A fantastic view of this one from the canopy tower at Amazonia lodge.

BLACKISH ANTBIRD *Cercomacra nigrescens*
Common in the lowlands. Seen very well on the way to Pilcopata and also on the Cocha Nueva trail.

BLACK ANTBIRD *Cercomacra serva*
We only had a brief view of the female and a glimpse on the male, below COR lodge

MANU ANTBIRD *Cercomacra manu*
Good view on the Cocha Nueva trail

WHITE-BACKED FIRE-EYE *Pyriglena leuconota*
Seen near COR lodge

WHITE-BROWED ANTBIRD *Myrmoborus leucophrys*
Common by voice in the lowlands. Seen at Amazonia lodge and at MWC.

BLACK-FACED ANTBIRD *Myrmoborus myotherinus*
Excellent view on 2 males on the trail to Cocha Blanco

BAND-TAILED ANTBIRD *Hypocnemoides maculicauda*
A pair seen very well from our catamaran at Cocha Blanco

SILVERED ANTBIRD *Sclateria naevia*
A nice pair at Cocha Blanco.

WHITE-LINED ANTBIRD *Percnostola lophotes* - RR
Common in the lowlands, with some excellent views at Cocha Nueva

CHESTNUT-TAILED ANTBIRD *Myrmeciza hemimelaena*
Seen several times, including some good views on the way to Pilcopata and near MWC

(H) BLACK-THROATED ANTBIRD *Myrmeciza atrothorax*
We tried several times to see this one, but no one wanted to come out the dense vegetation...

GOELDI'S ANTBIRD *Myrmeciza goeldii* - RR
Common in the bamboo in the lowlands, with excellent views at Cocha Nueva and on the Antthrush trail.

PLUMBEOUS ANTBIRD *Myrmeciza hyperythra*
Excellent view on a pair, on the way to Cocha Blanco

SOOTY ANTBIRD *Myrmeciza fortis*
Just one bird seen in the foothill above Amazonia lodge.

WHITE-THROATED ANTBIRD *Gymnopithys salvini*
A very nice view on a female at MWC

SPOT-BACKED ANTBIRD *Hylophylax naevius*
We heard at least 5 different birds at Amazonia lodge, but only saw one briefly...
One of the most beautiful antbird !!

BLACK-SPOTTED BARE-EYE *Phlegopsis nigromaculata*
Common by voice but difficult to see. Fortunately, we found an army ant swarm where 4 birds were feeding. Excellent views, and one of the best bird of the trip for Joe!

Family FORMICARIIDAE (ANTTHRUSH)

RUFOUS-CAPPED ANTTHRUSH *Formicarius colma*
So close that we almost had to step back to focus !! Wonderful bird !!

BLACK-FACED ANTTHRUSH *Formicarius analis*
Heard daily in the lowlands. Seen briefly at Amazonia lodge, and then we saw a very cooperative bird showing well on a trail near MWC.

RUFOUS-FRONTED ANTTHRUSH *Formicarius rufifrons* - RR
A very localised species that we saw in the heliconia on the well named "Antthrush trail"

(H) RUFOUS-BREASTED ANTTHRUSH *Formicarius rufipectus*
Heard only at COR lodge

(H) BARRED ANTTHRUSH *Chamaeza mollissima*
Heard on the upper part of the Manu road.

Family: GRALLARIIDAE (ANTPITTAS)

(H) SCALED ANTPITTA *Grallaria guatimalensis*
Heard on the trail below COR lodge

WHITE-THROATED ANTPITTA *Grallaria albigula* - RR
A wonderful view on the Manu road!!
This one is usually only heard, but we had an amazing view of a singing bird at Rocotal.
The bird was perched and seen singing at only 3 meters and during about 10 minutes
!!! One of the bird of the trip !

RED-AND-WHITE ANTPITTA *Grallaria erythroleuca* - RR - Peruvian endemic
Mostly heard on the upper part of the Manu road, but one bird made a short apparition
during a rainy afternoon.

RUFOUS [URUBAMBA] ANTPITTA *Grallaria rufula occabambae*
Geographic variation in song strongly suggests that *Grallaria rufula* includes more than
one species (Krabbe & Schulenberg 2003a).
That's the first antpitta we saw, and we simply had a fantastic view of on bird in the
open, just below Acjanaco pass.

AMAZONIAN ANTPITTA *Hyllopezus berlepschi*
Several heard at Amazonia lodge, and one seen quite well.

THRUSH-LIKE ANTPITTA *Myrmothera campanisona*
Several heard at Amazonia lodge, but only Anita and Fabrice had a view on one bird
after a long search near the jeep track.

Family: CONOPOPHAGIDAE (GNATEATERS)

SLATY GNATEATER *Conopophaga ardesiaca*
2 seen on the trail below COR lodge

Family: RHINOCRYPTIDAE (TAPACULOS)

RUSTY-BELTED TAPACULO *Liosceles thoracicus*
A fantastic and very close view on one bird at Amazonia lodge!!

TRILLING TAPACULO *Scytalopus parvirostris*
1 seen at Wayquecha, and several more heard.

WHITE-CROWNED TAPACULO *Scytalopus atratus*
2 seen around COR lodge, and many more heard

(H) DIADEMED TAPACULO *Scytalopus schulenbergi* - RR
Heard between Acjanaco and Wayquecha.

Family: TYRANNIDAE (TYRANT FLYCATCHERS)

TAWNY-RUMPED TYRANNULET *Phyllomyias uropygialis*
An excellent sighting of a very close bird at the Acjanaco pass.

YELLOW-CROWNED TYRANNULET *Tyrannulus elatus*
Seen at Cocha Camungo and in the MWC garden

FOREST ELAENIA *Myiopagis gaimardii*
Nice view of this canopy flycatcher, from the canopy platform at Amazonia lodge.

WHITE-CRESTED ELAENIA *Elaenia albiceps*
Common on the upper part of the Manu road, and around Huacarpay lake.

SMALL-BILLED ELAENIA *Elaenia parvirostris*
1 on the way to Pilcopata. An austral migrant.

MOTTLE-BACKED ELAENIA *Elaenia gigas*
1 seen on the way to Pilcopata

SIERRAN ELAENIA *Elaenia pallatangae*
Common on the upper part of the Manu road.

WHITE-LORED TYRANNULET *Ornithion inerme*
A very nice view on the way to Pilcopata.

WHITE-BANDED TYRANNULET *Mecocerculus stictopterus*
Common in the mixed species flocks on the upper part of the Manu road.

WHITE-THROATED TYRANNULET *Mecocerculus leucophrys*
Very common on the upper part of the Manu road. Seen in every mixed species flocks!!

YELLOW-BILLED TIT-TYRANT *Anairetes flavirostris*
2 birds seen in Cusco

TUFTED TIT-TYRANT *Anairetes parulus*
2 seen above Paucartambo

TORRENT TYRANNULET *Serpophaga cinerea*
3 birds seen very well from the bridge of Paucartambo.

(H) RINGED ANTPIBIT *Corythopsis torquatus*
So close..... but heard only at Amazonia lodge.

BOLIVIAN TYRANNULET *Zimmerius bolivianus* - RR
Seen briefly in a flock on the Manu road.

SLENDER-FOOTED TYRANNULET *Zimmerius gracilipes*
A leader only sighting near Cocha Camungo

MARBLE-FACED BRISTLE-TYRANT *Phylloscartes ophthalmicus*
Seen around COR lodge.

CINNAMON-FACED TYRANNULET *Phylloscartes parkeri*
At least 5 different birds seen around the Quitacalzones bridge.

STREAK-NECKED FLYCATCHER *Mionectes striaticollis*
Seen daily on the Manu road.

OLIVE-STRIPED FLYCATCHER *Mionectes olivaceus*
1 seen on the way to Pilcopata

OCHRE-BELLIED FLYCATCHER *Mionectes oleagineus*
1 seen briefly at Amazonia lodge

SEPIA-CAPPED FLYCATCHER *Leptopogon amaurocephalus*
Only 2 sightings in the lowlands

SLATY-CAPPED FLYCATCHER *Leptopogon superciliaris*
Seen around COR lodge

INCA FLYCATCHER *Leptopogon taczanowskii* - RR - Peruvian endemic
Particularly common during one of our (rainy) day on the Manu road, with about 15 birds seen in total.

MANY-COLORED RUSH-TYRANT *Tachuris rubrigastra*
At least 10 different birds seen at the Huacarpay lake.

SHORT-TAILED PYGMY-TYRANT *Myiornis ecaudatus*
The smallest passerine of the world !!!
A nice view of this one at Amazonia lodge.

SCALE-CRESTED PYGMY-TYRANT *Lophotriccus pileatus*
Very common by voice around COR lodge, where we saw one very well.

(H) FLAMMULATED PYGMY-TYRANT *Hemitriccus flammulatus*
Heard on the Cocha Nueva trail

WHITE-BELLIED TODY-TYRANT *Hemitriccus griseipectus*
Finally an excellent sighting of this tiny flycatcher, after several try, at MWC

JOHANNES'S TODY-TYRANT *Hemitriccus iohannis*
A very close view near Puerto Maldonado

BLACK-THROATED TODY-TYRANT *Hemitriccus granadensis*
A very nice view of this one near Wayquecha

OCHRE-FACED TODY-FLYCATCHER *Poecilatriccus plumbeiceps*
A very responsive bird near the lookout above COR lodge. More heard.

RUSTY-FRONTED TODY-FLYCATCHER *Poecilatriccus latirostris*
1 seen very well near Puerto Maldonado

BLACK-BACKED TODY-FLYCATCHER *Poecilatriccus pulchellus* - RR - Peruvian endemic
A fantastic view of this beautiful flycatcher, on the way to Pilcopata.

YELLOW-BROWED TODY-FLYCATCHER *Todirostrum chrysocrotaphum*
We tried, and tried, and tried.... and finally saw one from the canopy platform at MWC.

GRAY-CROWNED FLYCATCHER *Tolmomyias poliocephalus*
Heard few times in the lowlands, but we finally saw one from the canopy platform at MWC.

[OLIVE-FACED] YELLOW-BREASTED FLYCATCHER *Tolmomyias flaviventris*
1 seen by Anita near Puerto Maldonado
SACC comment: *Tolmomyias flaviventris* almost certainly involves more than one species; see Bates et al. (1992) and Ridgely & Tudor (1994). The subspecies *viridiceps* is almost certainly a distinct species, and was so considered by Ridgely et al. (2001) and Hilty (2003). However,

Zimmer (1939a) considered them conspecific because the subspecies he considered the subspecies *subsimilis* and *dissors* to represent taxa that were intermediate between the two, and this treatment was followed by Fitzpatrick (2004) in the absence of published data supporting a split.

(H) GOLDEN-CROWNED SPADEBILL *Platyrinchus coronatus*
Heard only around MWC

UNADORNED FLYCATCHER *Myiophobus inornatus* - RR
A prolonged view of this small flycatcher, just below Rocotal.

HANDSOME FLYCATCHER *Myiophobus pulcher*
3 together in a mixed-species flock just below Pillahuata.

BRAN-COLORED FLYCATCHER *Myiophobus fasciatus*
An austral migrant seen on the way to Pilcopata, and another one seen at Amazonia lodge.

CINNAMON FLYCATCHER *Pyrrhomyias cinnamomeus*
Very common on the Manu road

EULER'S FLYCATCHER *Lathrotriccus euleri*
1 bird was singing 2 following days in the same tree, at Amazonia lodge.

SMOKE-COLORED PEWEE *Contopus fumigatus*
Seen daily on the upper part of the Manu road

BLACK PHOEBE *Sayornis nigricans*
Frequent along the river around COR lodge, and especially below the bridge near the lodge.

VERMILION FLYCATCHER *Pyrocephalus rubinus*
Seen almost daily in the lowlands

WHITE-WINGED BLACK-TYRANT *Knipolegus aterrimus*
A nice male spotted by Anita on the way to Acjanaco, and another one was singing near Wayquecha.

DRAB WATER-TYRANT *Ochthornis littoralis*
Common along the rivers in the lowlands

LITTLE GROUND-TYRANT *Muscisaxicola fluviatilis*
Seen along the Madre de Dios river, but the best view was definitely at the Macaw clay-lik!

SPOT-BILLED GROUND-TYRANT *Muscisaxicola maculirostris*
A nice one seen well at the Huacarpay lake

TACZANOWSKI'S GROUND-TYRANT *Muscisaxicola griseus*
1 seen on the way to Paucartambo

CINEREOUS GROUND-TYRANT *Muscisaxicola cinereus*
2 seen on the way to Paucartambo

RUFIOUS-NAPED GROUND-TYRANT *Muscisaxicola rufivertex*

4 seen in the agricultural fields near the Huacarpay lake.

STREAK-THROATED BUSH-TYRANT *Myiotheretes striaticollis*
1 seen just below Wayquecha

RUFOUS-WEBBED BUSH-TYRANT *Polioxolmis rufipennis*
4 different birds seen in the dry Andes, on the way to Paucartambo.

RUFOUS-BREASTED CHAT-TYRANT *Ochthoeca rufipectoralis*
Common around Wayquecha

BROWN-BACKED CHAT-TYRANT *Ochthoeca fumicolor*
2 seen at the forest limit, at Acjanaco

WHITE-BROWED CHAT-TYRANT *Ochthoeca leucophrys*
Common in the dry Andes, with at least 5 different birds seen around Huacarpay lake.

LONG-TAILED TYRANT *Colonia colonus*
2 nice birds seen at Amazonia lodge

SOCIAL FLYCATCHER *Myiozetetes similis*
Common in the lowlands

GRAY-CAPPED FLYCATCHER *Myiozetetes granadensis*
Common in the lowlands

GREAT KISKADEE *Pitangus sulphuratus*
Common in the lowlands

LESSER KISKADEE *Pitangus lictor*
Few seen on the oxbow lakes around MWC.

LEMON-BROWED FLYCATCHER *Conopias cinchoneti*
2 birds seen well around COR lodge.

GOLDEN-CROWNED FLYCATCHER *Myiodynastes chrysocephalus*
Fairly common around COR lodge

STREAKED FLYCATCHER *Myiodynastes maculatus*
1 seen in the garden of our hotel in Puerto Maldonado. This one is of the *solitarius* subspecies, and probably belongs to an austral migrant population.

SULPHURY FLYCATCHER *Tyrannopsis sulphurea*
A pair of this Moriche Palm specialist has been seen well at our usual spot on the way to Pilcopata !!

CROWNED SLATY-FLYCATCHER *Empidonomus aurantioatrocristatus*
An austral migrant seen first on the way to Pilcopata, and latter from the Macaw clay-lik.

TROPICAL KINGBIRD *Tyrannus melancholicus*
Very common

GRAYISH MOURNER *Rhytipterna simplex*
Heard daily around MWC where we saw one.

SIRYSTES *Sirystes sibilator*
One heard and seen on the grid

DUSKY-CAPPED FLYCATCHER *Myiarchus tuberculifer*
Fairly common on the Manu road, and one more seen in the lowlands. The first ones belonging to the dark capped *atriceps* subspecies, and the last one to the *tuberculifer* subspecies.

SWAINSON'S FLYCATCHER *Myiarchus swainsoni*
Few seen in the lowlands around MWC, where we had a very good look on one of them from the canopy platform.

SHORT-CRESTED FLYCATCHER *Myiarchus ferox*
2 seen in the lowlands

(H) LARGE-HEADED FLATBILL *Ramphotrigon megacephalum*
Heard on the Cocha Nueva and Antthrush trails.

RUFOUS-TAILED FLATBILL *Ramphotrigon ruficauda*
A nice view on 3 birds together on the lookout trail at MWC

(H) DUSKY-TAILED FLATBILL *Ramphotrigon fuscicauda*
Heard only on the Cocha Nueva trail.

DULL-CAPPED (WHITE-EYED) ATTILA *Attila bolivianus*
Heard daily around MWC and one seen well on the Cocha Nueva trail

BRIGHT-RUMPED ATTILA *Attila spadiceus*
Heard daily around MWC, and one bird of the rufous morph seen on the lookout trail.

Family: COTINGIDAE (COTINGAS)

BARRED FRUITEATER *Pipreola arcuata*
Some fantastic views just below Wayquecha !!!! One of the most beautiful bird of the trip !

RED-CRESTED COTINGA *Ampelion rubrocristatus*
We had a very cooperative group of 4 birds, seen very well at the tunnels area below Wayquecha.

ANDEAN COCK-OF-THE-ROCK *Rupicola peruvianus*
Off course seen at the COR lodge lek, but we also saw few more birds when birding around the lodge.

PLUM-THROATED COTINGA *Cotinga maynana*
A nice male seen at lunch time just before Pilcopata.

SPANGLED COTINGA *Cotinga cayana*
A excellent view of this one from the Camungo canopy platform. He even came in the same tree than the platform!

SCREAMING PIHA *Lipaugus vociferans*
Impossible to not hear this one around MWC !!! We saw one at the usual lek on the grid.

PURPLE-THROATED COTINGA *Porphyrolaema porphyrolaema*
2 seen very well on the grid.

BARE-NECKED FRUITCROW *Gymnoderus foetidus*
1 seen from the Camungo platform, and 4 more seen from the MWC canopy platform.

Family: PIPRIDAE (MANAKINS)

(H) DWARF TYRANT-MANAKIN *Tyranneutes stolzmanni*
Heard almost daily around MWC but never close enough to see one...

(H) FIERY-CAPPED MANAKIN *Machaeropterus pyrocephalus*
Heard several times, on the way to Pilcopata and at Amazonia lodge.

BLUE-CROWNED MANAKIN *Lepidothrix coronata*
1 male seen too briefly on the way to the tapir lik at MWC

(H) BLUE-BACKED MANAKIN *Chiroxiphia pareola*
Heard only around MWC

YUNGAS MANAKIN *Chiroxiphia boliviana* - RR
Seen well at the COR lodge

BAND-TAILED MANAKIN *Pipra fasciicauda*
A pair seen daily in a fruiting tree in the garden of MWC

ROUND-TAILED MANAKIN *Pipra chloromeros*
At least 3 males seen very well at the lek near the tower at Amazonia lodge

Family: TITYRIDAE (TITYRAS)

BLACK-CROWNED TITYRA *Tityra inquisitor*
Seen from the blind at the Macaw clay-lik

BLACK-TAILED TITYRA *Tityra cayana*
1 seen on the trail to Cocha Nueva

MASKED TITYRA *Tityra semifasciata*
Seen few times in the lowlands

(H) VARZEA SCHIFFORNIS *Schiffornis major*
Heard at Cocha Blanco and Cocha Camungo

(H) THRUSH-LIKE SCHIFFORNIS *Schiffornis turdina*
Heard near the Tapir clay-lik at MWC

CINEREOUS MOURNER *Laniocera hypopyrra*
1 seen very well around MWC. More heard.

BARRED BECARD *Pachyramphus versicolor*
A very nice view on a pair in a mixed-species flock below Pillahuata.

WHITE-WINGED BECARD *Pachyramphus polychopterus*
Common by voice in the lowlands, where we had also few sightings.

BLACK-CAPPED BECARD *Pachyramphus marginatus*
2 sightings in the lowlands (first one on the grid), and few more contacts by voice.

INCERTAE SEDIS

WING-BARRED PIPRITES *Piprites chloris*
1 bird came to the tape on the trail system near Cocha Camungo.

Family: VIREONIDAE (VIREOS)

BROWN-CAPPED VIREO *Vireo leucophrys*
At least 4 birds seen on the Manu road, including a singing bird around Rocotal.

[CHIVI] RED-EYED VIREO *Vireo olivaceus* (Chivi)
Regular sightings in the lowlands.
Some classifications (e.g., Pinto 1944) have considered the South American *chivi* group as a separate species ("Chivi Vireo") from *V. olivaceus*, or as conspecific with *V. flavoviridis* (Hamilton 1962). Ridgely & Greenfield (2001) suggested, however, that more than one species may be involved within the South American *chivi* group.

DUSKY-CAPPED GREENLET *Hylophilus hypoxanthus*
More often heard than seen. We saw one singing in a canopy mixed-species flock on the Grid at MWC.

Family: CORVIDAE (JAYS)

WHITE-COLLARED JAY *Cyanolyca viridicyanus*
A very nice view on this one, on the upper part of the Manu road.

VIOLACEOUS JAY *Cyanocorax violaceus*
Common in the lowlands

PURPLISH JAY *Cyanocorax cyanomelas*
Fairly common in the lowlands

[INCA] GREEN JAY *Cyanocorax yncas*
Some very good views around COR lodge.
Ridgely & Greenfield (2001) and Hilty (2003) treated Middle American populations as a separate species, *C. luxosus* ("Green Jay") from South American *C. yncas* ("Inca Jay"), but no data presented; they were formerly considered separate species.

Family: HIRUNDINIDAE (SWALLOWS)

BLUE-AND-WHITE SWALLOW *Pygochelidon cyanoleuca*
Common on the Manu road.

BROWN-BELLIED SWALLOW *Orochelidon murina*
Just one seen at Paucartambo, and another isolated one near Acjanaco.

WHITE-BANDED SWALLOW *Atticora fasciata*
A common and beautiful swallow along the rivers in the lowlands.

SOUTHERN ROUGH-WINGED SWALLOW *Stelgidopteryx ruficollis*
Very common in the lowlands.

GRAY-BREASTED MARTIN *Progne chalybea*

Few sightings in the lowlands, including a pair in a tree cavity at Cocha Blanco.

WHITE-WINGED SWALLOW *Tachycineta albiventer*

Very common along the river and oxbow lakes in the lowlands.

Family: TROGLODYTIDAE (WRENS)

SCALY-BREASTED WREN *Microcerculus marginatus*

Very common by voice in the foothills and lowlands, but we only had a glimpse of one above Amazonia lodge.

Microcerculus marginatus was called "Southern Nightingale-Wren" by Ridgely & Tudor (1989), Brewer (2001), and Kroodsma & Brewer (2005); it was called "Whistler Wren" by Wetmore et al. (1984).

GRAY-MANTLED WREN *Odontorchilus branickii*

1 bird seen, surprisingly not following a mixed-species flock, just below COR lodge.

HOUSE WREN *Troglodytes aedon*

Common in all open habitat.

MOUNTAIN WREN *Troglodytes solstitialis*

Seen few times, especially in the mixed-species flocks on the upper part of the Manu road.

THRUSH-LIKE WREN *Campylorhynchus turdinus*

2 seen on the Cocha Nueva trail.

MOUSTACHED WREN *Thryothorus genibarbis*

Very common by voice, but usually difficult to see. We saw 2 birds on the Cocha Nueva trail near MWC.

FULVOUS WREN *Cinnycerthia fulva*

Fantastic views of this species on the upper part of the Manu road.

GRAY-BREASTED WOOD-WREN *Henicorhina leucophrys*

Very common by voice on the Manu road, and we saw one very well near COR lodge.

CHESTNUT-BREASTED WREN *Cyphorhinus thoracicus*

1 seen below COR lodge, but more heard.

Family: POLIOPTILIDAE (GNATCATCHERS)

(H) LONG-BILLED GNATWREN *Ramphocaenus melanurus*

Heard at MWC

Family: DONACOBIIDAE (Donacobius)

BLACK-CAPPED DONACOBIUS *Donacobius atricapilla*

Seen very well at the two oxbow lakes we visited around MWC.

Family: CINCLIDAE (DIPPERS)

WHITE-CAPPED DIPPER *Cinclus leucocephalus*

At least 5 different birds seen on the Manu road.

Family: TURDIDAE (THRUSHES)

ANDEAN SOLITAIRE *Myadestes ralloides*
At least 2 birds seen around COR lodge

WHITE-EARED SOLITAIRE *Entomodestes leucotis*
Few seen and one seen briefly on the Manu road.

HAUXWELL'S THRUSH *Turdus hauxwelli*
Common in the lowlands

BLACK-BILLED THRUSH *Turdus ignobilis*
Few sightings in the lowlands

GREAT THRUSH *Turdus fuscater*
Common on the upper part of the Manu road.

CHIGUANCO THRUSH *Turdus chiguanco*
Very common in the Andes

GLOSSY-BLACK THRUSH *Turdus serranus*
A female, and then a male, seen well just below Wayquecha.

Family: THRAUPIDAE (TANAGERS)

RED-CAPPED CARDINAL *Paroaria gularis*
Common in the lowlands

MAGPIE TANAGER *Cissopis leverianus*
A big and beautiful tanager, seen few times in the lowlands.

RED-BILLED PIED TANAGER *Lamprospiza melanoleuca*
A rare tanager just found in one specific spot at MWC !
First heard and then 2 birds seen, but unfortunately only by Anita and Fabrice...

SLATY TANAGER *Creurgops dentatus* - RR
At least 6 different birds seen on the Manu road.

BLACK-CAPPED HEMISPINGUS *Hemispingus atropileus*
Fairly common in the upper part of the Manu road.

SUPERCILIARIED HEMISPINGUS *Hemispingus superciliaris*
Fairly common in the upper part of the Manu road

BLACK-EARED HEMISPINGUS *Hemispingus melanotis*
Fairly common around COR lodge

GRAY-HOODED BUSH-TANAGER *Cnemoscopus rubrirostris*
A nice bird seen very well in the tunnel area below Wayquecha.

RUST-AND-YELLOW TANAGER *Thlypopsis ruficeps*
Several sightings on the Manu road.

BLACK-GOGGLED TANAGER *Trichothraupis melanops*
A male in a mixed-species flock at Quitacalzones

YELLOW-CRESTED TANAGER *Tachyphonus rufiventer*
4 different birds seen in the mixed-species flocks around Quitacalzones

WHITE-SHOULDERED TANAGER *Tachyphonus luctuosus*
A leader only: a male in a flock at MWC

WHITE-WINGED SHRIKE-TANAGER *Lanio versicolor*
Few sightings of the mixed-species flock leader.

MASKED CRIMSON TANAGER *Ramphocelus nigrogularis*
A regular visitor of the feeders at Amazonia lodge, but also seen from the canopy platform at Cocha Camungo.

SILVER-BEAKED TANAGER *Ramphocelus carbo*
Very common in the lowlands

BLUE-GRAY TANAGER *Thraupis episcopus*
Common in the lowlands

PALM TANAGER *Thraupis palmarum*
Common in the lowlands

BLUE-CAPPED TANAGER *Thraupis cyanocephala*
Common on the upper part of the Manu road

BLUE-AND-YELLOW TANAGER *Thraupis bonariensis*
Very common in the dry shrubberies around Huacarpay lake, where we saw at least 50 birds.

HOODED MOUNTAIN-TANAGER *Buthraupis montana*
A huge and colorful tanager seen different times on the upper part of the Manu road.

SCARLET-BELLIED MOUNTAIN-TANAGER *Anisognathus igniventris*
A fantastic big tanager seen several times on the upper part of the Manu road.

GRASS-GREEN TANAGER *Chlorornis riefferii*
Fantastic views on the upper part of the Manu road.

CHESTNUT-BELLIED MOUNTAIN-TANAGER *Delothraupis castaneoventris*
2 sightings on the upper part of the Manu road

YELLOW-THROATED TANAGER *Iridosornis analis*
Seen 4 days in a row around COR lodge

GOLDEN-COLLARED TANAGER *Iridosornis jelskii* - RR
2 birds seen very close, in a mixed-species flock below Wayquecha.

ORANGE-EARED TANAGER *Chlorochrysa calliparaea*
Few birds seen around COR lodge

BLUE-NECKED TANAGER *Tangara cyanicollis*
Common in the foothills

SPOTTED TANAGER *Tangara punctata*
Common in the flocks around COR lodge

BLUE-AND-BLACK TANAGER *Tangara vassorii*
Just one seen on the upper part of the Manu road

BERYL-SPANGLED TANAGER *Tangara nigroviridis*
Another fantastic tanager seen well around COR lodge

TURQUOISE TANAGER *Tangara mexicana*
Seen daily in the garden at MWC

PARADISE TANAGER *Tangara chilensis*
One of the most beautiful tanager !!!
Fairly common in the lowlands.

OPAL-CROWNED TANAGER *Tangara callophrys*
1 seen too briefly from the canopy platform at Cocha Camungo

BAY-HEADED TANAGER *Tangara gyrola*
Few seen on the lower part of the Manu road

GOLDEN-EARED TANAGER *Tangara chrysotis*
Fairly common around COR lodge

SAFFRON-CROWNED TANAGER *Tangara xanthocephala*
Common along the Manu road

GREEN-AND-GOLD TANAGER *Tangara schrankii*
Seen daily in a fruiting tree in the MWC garden

GOLDEN TANAGER *Tangara arthus*
Seen very well in the mixed species flocks around COR lodge

BLACK-FACED DACNIS *Dacnis lineata*
The first pair has been found at Amazonia lodge, and latter we saw few more around MWC.

YELLOW-BELLIED DACNIS *Dacnis flaviventer*
Seen 6 different days in the lowlands, with especially a pair coming in the fruiting tree in the MWC garden.

BLUE DACNIS *Dacnis cayana*
Few seen in the lowlands

PURPLE HONEYCREEPER *Cyanerpes caeruleus*
Several sightings in the lowlands, with the best views from the Cocha Camungo canopy platform.

GREEN HONEYCREEPER *Chlorophanes spiza*
A nice pair seen at Quitacalzones, and latter at MWC

GOLDEN-COLLARED HONEYCREEPER *Iridophanes pulcherrimus*

A fantastic male seen very well in the garden of COR lodge, joining a mixed-species flock!!

CINEREOUS CONEBILL *Conirostrum cinereum*
Fairly common around the Huacarpay lake, and also around Wayquecha and the Acjanaco pass.

BLUE-BACKED CONEBILL *Conirostrum sitticolor*
Just 1 seen on the upper part of the Manu road.

CAPPED CONEBILL *Conirostrum albifrons*
Several sightings on the upper part of the Manu road.

WHITE-BROWED CONEBILL *Conirostrum ferrugineiventre*
Fantastic close view on 3 birds at the Acjanaco pass.

MOUSTACHED FLOWERPIERCER *Diglossa mystacalis*
Just one seen above Wayquecha

BLACK-THROATED FLOWERPIERCER *Diglossa brunneiventris*
Common in the dry Andes and on the upper part of the Manu road

DEEP-BLUE FLOWERPIERCER *Diglossa glauca*
2 seen in a mixed-species flock on the Manu road

MASKED FLOWERPIERCER *Diglossa cyanea*
Common along the Manu road

INCERTAE SEDIS

COMMON BUSH-TANAGER *Chlorospingus ophthalmicus*
Common on the Manu road.

SHORT-BILLED BUSH-TANAGER *Chlorospingus parvirostris*
Few sightings in the mixed-species flocks on the upper part of the Manu road.

YELLOW-THROATED BUSH-TANAGER *Chlorospingus flavigularis*
Few sightings in the mixed-species flocks on the lower part of the Manu road.

BANANAQUIT *Coereba flaveola*
Regular sightings around COR lodge.

SLATE-COLORED GROSBEAK *Saltator grossus*
A male came to the tape at Amazonia lodge

BUFF-THROATED SALTATOR *Saltator maximus*
Common in the lowlands

GRAYISH SALTATOR *Saltator coerulescens*
Several sightings, especially on the way to Pilcopata and in the garden at Amazonia lodge

GOLDEN-BILLED SALTATOR *Saltator aurantiirostris*
Just 1 bird seen in the dry Andes, on the way to Paucartambo

Family: EMBERIZIDAE (SPARROWS)

RUFOUS-COLLARED SPARROW *Zonotrichia capensis*
Very common in the dry Andes and the upper part of the Manu road.

YELLOW-BROWED SPARROW *Ammodramus aurifrons*
Common in the lowlands

PERUVIAN SIERRA-FINCH *Phrygilus punensis*
Common in the dry Andes, with at least 10 birds seen around the Huacarpay lake.

MOURNING SIERRA-FINCH *Phrygilus fruticeti*
2 seen near the Huacarpay lake, and few more the next day on the way to Paucartambo.

ASH-BREASTED SIERRA-FINCH *Phrygilus plebejus*
Very few seen around the Huacarpay lake, but more than 100 the next day on the way to Paucartambo.

CHESTNUT-BREASTED MOUNTAIN-FINCH *Poospiza caesar* - RR - Peruvian endemic
3 birds seen very well at the usual spot near Cusco, and at least 4 more birds the next day on the way to Paucartambo.

BRIGHT-RUMPED YELLOW-FINCH *Sicalis uropygialis*
2 seen very well at the highest pass on the way to Paucartambo

SAFFRON FINCH *Sicalis flaveola*
Common around Puerto Maldonado

BLUE-BLACK GRASSQUIT *Volatinia jacarina*
Common in grassland in the lowlands

BLACK-AND-WHITE SEEDEATER *Sporophila luctuosa*
3 seen on the way to Pilcopata

DOUBLE-COLLARED SEEDEATER *Sporophila caerulescens*
A male seen on the way to Pilcopata, and few more around Puerto Maldonado

CHESTNUT-BELLIED SEEDEATER *Sporophila castaneiventris*
Few birds found in grassland on the way to Pilcopata and around Puerto Maldonado, but also from the blind at the Macaw clay-lik.

CHESTNUT-BELLIED (LESSER) SEED-FINCH *Oryzoborus angolensis*
A female on the way to Pilcopata, and a singing male from the blind at the Macaw clay-lik.

BAND-TAILED SEEDEATER *Catamenia analis*
Very common in the dry Andes.

PECTORAL SPARROW *Arremon taciturnus*
A very nice view of a bird singing in the bamboo below Quitacalzone, and also heard at Amazonia lodge.

CHESTNUT-CAPPED BRUSH-FINCH *Arremon brunneinucha*

2 seen very well, foraging on the ground in an open area inside the forest, just below the look-out above COR lodge.

(H) OLIVE FINCH *Arremon castaneiceps*
Heard only at Quitacalzones.

BLACK-FACED BRUSH-FINCH *Atlapetes melanolaemus*
Common along the Manu road

Family: CARDINALIDAE (CARDINAL GROSBEAKS)

RED-CROWNED ANT-TANAGER *Habia rubica*
A pair seen very well on the trail system at MWC

(H) CARMIOLO'S TANAGER *Chlorothraupis carmioli*
Heard in the foothill above Amazonia lodge.
SACC: Ridgely & Greenfield (2001) treated the South American subspecies *frenata* as a separate species from *Chlorothraupis carmioli* based on descriptions of voice and disjunct distribution. Proposal needed.
Called "Olive Tanager" in AOU (1983, 1998), Isler & Isler (1987), Ridgely & Tudor (1989), Ridgely & Greenfield (2001), and elsewhere, but this creates unnecessary confusion with *C. olivacea* (Lemon-spectacled Tanager); as noted by Meyer de Schauensee (1966), "Olive" is best used for those classification that consider the two conspecific, in which *olivacea* has priority.

GOLDEN-BELLIED GROSBEAK *Pheucticus chrysogaster*
A female at the feeder at COR lodge.

BLACK-BACKED GROSBEAK *Pheucticus aureoventris*
A male at the tunnels areas below Wayquecha.

Family: PARULIDAE (WOOD-WARBLERS)

TROPICAL PARULA *Parula pitiayumi*
1 in the garden at COR lodge

SLATE-THROATED WHITESTART (REDSTART) *Myioborus miniatus*
Common along the lower part of the Manu road.

SPECTACLED WHITESTART (REDSTART) *Myioborus melanocephalus*
Common along the upper part of the Manu road.

TWO-BANDED WARBLER *Basileuterus bivittatus*
Common around COR lodge

GOLDEN-BELLIED WARBLER *Basileuterus chrysogaster*
4 seen at Quitacalzones

CITRINE WARBLER *Basileuterus luteoviridis*
Common on the upper part of the Manu road

PALE-LEGGED WARBLER *Basileuterus signatus*
1 seen following a flock near the look-out above COR lodge

RUSSET-CROWNED WARBLER *Basileuterus coronatus*
Common by voice and few seen around COR lodge.

THREE-STRIPED WARBLER *Basileuterus tristriatus*
Few sightings around COR lodge

(H) BUFF-RUMPED WARBLER *Phaeothlypis fulvicauda*
Unfortunately, heard only in the lowlands.

Family: ICTERIDAE (BLACKBIRDS)

RUSSET-BACKED OROPENDOLA *Psarocolius angustifrons*
Very common in the lowlands

DUSKY-GREEN OROPENDOLA *Psarocolius atrovirens*
Only seen around COR lodge

CRESTED OROPENDOLA *Psarocolius decumanus*
Common in the lowlands

OLIVE OROPENDOLA *Psarocolius bifasciatus*
The first one has been spotted by Denise from the look-out above Atalaya, where we all had nice scope views. Well done !!
2 more sightings latter in the lowlands. All the birds seen during our trip belong to the *yuracares* subspecies.

SACC: The subspecies *yuracares* was formerly (e.g., Hellmayr 1937, Pinto 1944, Phelps & Phelps 1950a, Meyer de Schauensee 1970, Blake 1968b) treated as a separate species from *Psarocolius bifasciatus*, but Haffer (1974) provided rationale for considering them conspecific, as suspected by Meyer de Schauensee (1966). Jaramillo & Burke (1999), followed by Ridgely & Greenfield (2001), treated them as separate species but acknowledged that the subspecies *P. y. neivae* is likely a hybrid swarm between *P. yuracares* and *P. bifasciatus*, as noted by Haffer (1974). Proposal badly needed. When *yuracares* was considered a separate species, nominate *bifasciatus* was known as "Para Oropendola." Sibley & Monroe (1990) called the broad *bifasciatus* "Amazonian Oropendola."

CASQUED OROPENDOLA *Clypicterus oseryi*
A nice and small oropendola seen few times in the forest interior near MWC

MOUNTAIN CACIQUE *Cacicus chrysonotus*
A total of at least 4 birds on the uper part of the Manu road.

YELLOW-RUMPED CACIQUE *Cacicus cela*
Very common in the lowlands

ORANGE-BACKED TROUPIAL *Icterus croconotus*
Seen very well from the Camungo canopy platform, and also around Puerto Maldonado.

Icterus icterus, *I. jamacaii*, and *I. croconotus* were formerly treated as a single species by many authors (e.g., Hellmayr 1937, Blake 1968, Meyer de Schauensee 1970, Ridgely & Tudor 1989, Dickinson 2003), although others have treated them as three species (Hilty 2003, Ridgely & Greenfield 2001) or as two species (*croconotus* as a subspecies of *I. jamacaii*; e.g., Hilty & Brown 1986, Sibley & Monroe 1990, Omland et al. 1999). See Ridgely & Tudor (1989) and Jaramillo & Burke (1999) for details. SACC proposal passed to split into three species.

EPAULET ORIOLE *Icterus cayanensis*
1 seen from the canopy platform at Cocha Camungo

PALE-EYED BLACKBIRD *Agelasticus xanthophthalmus*

3 seen at Cocha Blanco

YELLOW-WINGED BLACKBIRD *Agelasticus thilius*
Common at the Huacarpay lake.

GIANT COWBIRD *Molothrus oryzivorus*
Common in the lowlands

Family: FRINGILLIDAE (FINCHES)

HOODED SISKIN *Carduelis magellanica*
Fairly common in the dry Andes. 10 where seen well around Huacarpay lake.

OLIVACEOUS SISKIN *Carduelis olivacea*
Few seen near COR lodge

THICK-BILLED EUPHONIA *Euphonia laniirostris*
3 seen at Amazonia lodge

GOLDEN-BELLIED (WHITE-LORED) EUPHONIA *Euphonia chrysopasta*
2 where building a nest in the same tree than the canopy platform at MWC

BRONZE-GREEN EUPHONIA *Euphonia mesochrysa*
Few seen around COR lodge

WHITE-VENTED EUPHONIA *Euphonia minuta*
A pair near Puerto Maldonado

ORANGE-BELLIED EUPHONIA *Euphonia xanthogaster*
The most common euphonia during this trip, seen regularly in the foothills and lowlands.

RUFOUS-BELLIED EUPHONIA *Euphonia rufiventris*
Seen few times in the garden at MWC.

(H) BLUE-NAPED CHLOROPHONIA *Chlorophonia cyanea*
heard near COR lodge.

**A gran total of 597 species contacted (including 52 heard only)
in only 19 days!!**

MAMMAL LIST

COMMON OPOSSUM *Didelphis marsupialis*

One found by Anita at MWC

MURINE OPOSSUM *Marmosa murina*

1 seen in the Joanna and John cabin at MWC, searching for another apple left outside the plastic box, or maybe some crackers !!

BROWN TITI-MONKEY *Callicebus brunneus*

Small groups seen at Amazonia lodge and MWC

BLACK-CAPPED SQUIRREL MONKEY *Saimiri boliviensis*

A large group of 97 individuals (probably more!!) at Amazonia lodge

TUFTED CAPUCHIN MONKEY *Cebus apella*

A group of about 15 seen daily at COR lodge, and also seen at MWC

WHITE-FRONTED CAPUCHIN *Cebus albifrons*

Some large groups seen at MWC

VENEZUELAN RED HOWLER MONKEY *Alouatta seniculus*

Excellent views from the blind at the Macaw clay-lik

PERUVIAN SPIDER MONKEY *Ateles chamek*

Seen almost daily on the trail system around MWC

GIANT OTTER *Pteronura brasiliensis*

4 seen in the stream below the Macaw clay-lik !!

BRAZILIAN TAPIR *Tapirus terrestris*

The only tapir we saw was Vanessa, the first night at MWC center. Vanessa is a "95% wild" tapir (raised by some people of the MWC staff, Vanessa is now free and make her life in the forest. Sometimes, she come back to the lodge, where she knows she will receive few apples!!

SOUTHERN AMAZON RED SQUIRREL *Sciurus spadaceus*

2 sightings around MWC

BOLIVIAN SQUIRREL *Sciurus ignitus*

Common in the garden at COR lodge

AMAZON DWARF SQUIRREL *Microsciurus flaviventer*

1 seen very well on the trail system at MWC.

CAPYBARA *Hydrochaeris hydrochaeris*

3 seen along the river at MWC

LOWLAND PACA *Cuniculus taczanowski*

1 seen by Joanna and John, near the MWC garden

BROWN AGOUTI *Dasyprocta variegata*

Several sightings, in the COR lodge garden and in the lowlands.

(H) **BOLIVIAN BAMBOO RAT** *Dactylomys dactylinus*

Heard at Amazonia lodge.

FOREST RABBIT *Sylvilagus brasiliensis*
1 seen in the Amazonia lodge garden

SHARP-NOSED BAT *Rhynchonycteris naso*
35 roosting below a roof at Cocha Blanco oxbow lake.

WHITE-LINED BAT sp. *Saccopteryx* sp.
7 roosting in the blind at the Macaw clay-lik

OTHER WILDLIFE

WHITE CAIMAN *Caiman crocodilus*
2 seen along the Madre de Dios river near MWC

SIDE-NECKED TURTLE *Podocnemis unifilis*
Common along the Madre de Dios river